

SCAN THE QR TO VIEW OUR PRODUCTS





• OUR PRODUCTS •

































TREELAM IS A PREMIER SUPPLIER OF TOP-QUALITY DECORATIVE LAMINATES FOR HOMES AND BUSINESSES.

OUR EXTENSIVE SELECTION OF DESIGNS AND TEXTURES

CATERS TO DIVERSE INTERIOR STYLES, ENSURING A

PERFECT FIT FOR ANY PROJECT. KNOWN FOR

DURABILITY AND STYLE, OUR LAMINATES ARE THE IDEAL

CHOICE FOR ENHANCING INTERIORS WITH A TOUCH OF

ELEGANCE. RELY ON TREELAM TO ELEVATE THE

AESTHETIC APPEALOFYOUR SPACES.











WATER
RESISTANT

www.treelam.com



DVANCED EATURES



For exceptional solidity, our 6h Anti Scratch Acrylic Laminates are available in 1.5 mm (+-10%)



LIGHT WEIGHT

For ease of use and effortless installation, our range of laminates have been developed in a way to keep them extremely light weight.



TERMITE &
BORER FREE

Our laminates are specially treated to ensure they remain termite and borer free for life time.



WATER & STAIN PROOF

Treated with a special coating on the surface, our 6h Anti Scratch Acrylic Laminates are water proof as well as stain resistant.



Our Anti Scratch Acrylic Laminates are extremely sturdy and durable. They can with stand heavy loads easily.



Our range of laminates has effortless and exceptional adhesion properties, which allows it to be used in vertical applications.





100%

PURE ACRYLIC

ANTI FINGER

WATER RESISTANT






























Experience modish verve and brilliant interiors for a resplendent appearance.



































Treelam® Clogantly Classy...

















































































Give Way To Modern Design Elements





100%





Presenting hues that outstanding

ONTARI REFLECT IMPRESSION











Crafted for Timeless Beauty





A World Of Difference



































Curated Beauty For Spaces



































Emanating Contemporary Class







MIRROR ACRYLIC

yourself in of stunning surfaces.



Your Space, Your Style


ONTARI REFLECT IMPRESSION

Anti Scratch Acrylic



Self Adhesive








SA SILVER MIRROR

SA GOLD MIRROR

The mirror acrylic textures transform mundane surfaces into captivating reflections, adding a touch of glamour and sophistication to any space.


MATT ACRYLIC




Infusing soul into every stroke



















TR 1132


TR 1105





Lavish edge of artistry

TR 1140



TR 1104


TR 1155

| 35



MATT ACRYLIC







FAQS

Reasons for air bubble formations on Acrylic Sheets



Acrylic are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface



Insufficient or lack of pressing during the bonding period of laminate



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2ft long)

To avoid delamination / air bubbles in between ply and laminate the above steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity

Disclaimer

The Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers to inspect products properly before installing. Product's warranty in no way covers defects and non-compliance from or otherwise attributable to any other causes, including, without limitation the following:

- Improper handling / transportation / storage of Ontari
- Improper installation of Ontari
- Improper or unintended usage of Ontari
- Lack of or improper maintenance of Ontari
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- Do not use plywood with high moisture content
- Do not use ply with uneven surface
- Avoid using inferior quality adhesive
- Apply sufficient pressure
- Avoid pasting of sheets on the printed/branding area of the Plywood

- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.







TECHNICAL

Parameters	Ontari Acrylic Sheets	High Gloss Laminate Mica	Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Antisractch	NO	NO	NO
Color Consistency	Excellent	Not good	Not good	Not good
Orange peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	NO	YES	YES	YES



ACRYLIC SHEETS

*There can be colour variation in material from different batches. It is

advised to use same batch material to avoid colour variations.

Actual colours of the Acrylic sheet may vary from this brochure.

Size: 2440 mm x 1220 mm, Thickness: 1.5mm (+- 10%)